

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Slibowitz Art.-Nr. 648415, 648015, 648215

Revision date: 09.04.2021

Product code: F1000319

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Event Saunaduftkonzentrat Slibowitz Art.-Nr. 648415, 648015, 648215

UFI: P4NW-7DH9-FJ68-H62X

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Dosage: give 5-10 ml on 1 litre of water, well mix.

Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	D-36304 Alsfeld	
Post-office box:	1261	
	D-36292 Alsfeld	
Telephone:	06631-96880	Telefax: 06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	

1.4. Emergency telephone number: 06131 19240 Giftinformationszentrum (GIZ) der Länder Rheinland-Pfalz und Hessen

Further Information

Forms of packaging Bottles: 15 ml, 100 ml, 250 ml, 500 ml, 1000 ml, Canister: 5 liters, 10 liters, 25 liters.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Hazard Statements:

Flammable liquid and vapour.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Slibowitz Art.-Nr. 648415, 648015, 648215

Revision date: 09.04.2021

Product code: F1000319

Page 2 of 7

P303+P361+P353 protection.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P370+P378 In case of fire: Use CO2 to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	ethanol; ethyl alcohol			25-49,99 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2; H225			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-17-5	200-578-6	ethanol; ethyl alcohol	25-49,99 %
	inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If victim is at risk of losing consciousness, position and transport on their side.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Seek medical attention if problems persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Slibowitz Art.-Nr. 648415, 648015, 648215

Revision date: 09.04.2021

Product code: F1000319

Page 3 of 7

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Further information on storage conditions

Protect against: heat.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Slibowitz Art.-Nr. 648415, 648015, 648215

Revision date: 09.04.2021

Product code: F1000319

Page 4 of 7

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid:	
Colour:	transparent	
Odour:	characteristic	
pH-Value (at 20 °C):		5-6

Changes in the physical state

Melting point:	No data available
Boiling point or initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Flash point:	24 °C
Sustaining combustion:	No data available

Explosive properties

not Explosive.

Lower explosion limits:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density:	0,900 g/cm ³
Water solubility:	Immiscible

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

none

10.6. Hazardous decomposition products

none

Further information

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol; ethyl alcohol				
	oral	LD50 mg/kg	6200	Rat	IUCLID
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Slibowitz Art.-Nr. 648415, 648015, 648215

Revision date: 09.04.2021

Product code: F1000319

Page 5 of 7

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive .
irritant.

- Mutagen
none
- Carcinogenicity
none
- Teratogen
none
- Phototoxicity
none

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50 14221 mg/l	9268 -	48 h	Daphnia magna	IUCLID

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

not applicable

12.7. Other adverse effects

No information available.

Further information

2 hazardous to water (WGK 2)
Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Slibowitz Art.-Nr. 648415, 648015, 648215

Revision date: 09.04.2021

Product code: F1000319

Page 6 of 7

Contaminated packaging

Dispose of waste according to applicable legislation.
Cleaning agent. Water (with cleaning agent).

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	LQ7
Excepted quantity:	E1
Transport category:	3
Hazard No:	33
Tunnel restriction code:	D/E

Other applicable information (land transport)

Special provisions: 274 601 640H
E1
Transport category: 3
Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL (ISOPROPYL ALCOHOL))
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Marine pollutant:	•
Special Provisions:	223, 274, 955
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-E

Other applicable information (marine transport)

Special provisions: 223, 330, 274, 944, 955

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Special Provisions:	A3
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	309
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	310

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Event Saunaduftkonzentrat Slibowitz Art.-Nr. 648415, 648015, 648215

Revision date: 09.04.2021

Product code: F1000319

Page 7 of 7

IATA-max. quantity - Cargo:

220 L

Other applicable information (air transport)E1
Y309
220 L**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Flammable liquids

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC): 441 g/Liter

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Customs tariff number 33029010

SECTION 16: Other information**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data

Relevant H and EUH statements (number and full text)H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)