

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262**

Revision date: 19.02.2021

Product code: F4000609

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262

UFI: 2HPW-ADJN-CJ65-3NDY

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Dosage: give 5-10 ml on 1 litre of water, well mix.

**Uses advised against**

No data available

**1.3. Details of the supplier of the safety data sheet**

Company name:	Finnsa GmbH	
Street:	Marburger Str. 35	
Place:	I-36304 Alsfeld	
Post-office box:	1261	
	I-36292 Alsfeld	
Telephone:	06631-96880	Telefax: 06631-9688-96
e-mail:	info@finnsa.de	
Contact person:	Uwe Helm	
Internet:	finnsa.de	
Responsible Department:	Verkauf	

**1.4. Emergency telephone number:** 06131 19240 Giftinformationszentrum (GIZ) der Länder Rheinland-Pfalz und Hessen

**Further Information**

Forms of packaging Bottles: 15 ml, 100 ml, 250 ml, 500 ml, 1000 ml, Canister: 5 liters, 10 liters, 25 liters.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 3

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol

turpentine, oil

dipentene; limonene

**Signal word:** Warning

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262

Revision date: 19.02.2021

Product code: F4000609

Page 2 of 9

**Pictograms:****Hazard statements**

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing smoke.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2 to extinguish.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

**Labelling of packages where the contents do not exceed 125 ml****Signal word:** Warning**Pictograms:****Hazard statements**

H317

**Precautionary statements**

P261-P280-P333+P313-P362+P364

### SECTION 3: Composition/information on ingredients

**3.2. Mixtures**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262

Revision date: 19.02.2021

Product code: F4000609

Page 3 of 9

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			45 - < 50 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
8006-64-2	turpentine, oil			10 - < 15 %
	232-350-7	650-002-00-6		
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2; H226 H332 H312 H302 H315 H319 H317 H304 H411			
98-55-5	p-Menth-1-en-8-ol			5 - < 10 %
	202-680-6			
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
138-86-3	dipentene; limonene			5 - < 10 %
	205-341-0	601-029-00-7		
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H400 H410			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	45 - < 50 %
		inhalation: LC50 = 30-46,5 mg/l (vapours); dermal: LD50 = 12800-13400 mg/kg; oral: LD50 = 4570-5045 mg/kg	
8006-64-2	232-350-7	turpentine, oil	10 - < 15 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

If victim is at risk of losing consciousness, position and transport on their side.

##### After inhalation

Provide fresh air. Seek medical attention if problems persist.

##### After contact with skin

After contact with skin, wash immediately with: Water and soap.

##### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

##### After ingestion

Seek medical attention if problems persist.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Foam.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262

Revision date: 19.02.2021

Product code: F4000609

Page 4 of 9

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General measures

Remove all sources of ignition.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

#### Advice on protection against fire and explosion

Take precautionary measures against static discharges.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

#### Further information on storage conditions

Protect against: heat.

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL
8006-64-2	Turpentine	100	566		TWA (8 h)	WEL
		150	850		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs. Take off immediately all contaminated clothing.

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

Before using check leak tightness / impermeability. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262**

Revision date: 19.02.2021

Product code: F4000609

Page 5 of 9

**Respiratory protection**

Respiratory protection necessary at: insufficient ventilation. Work in well-ventilated zones or use proper respiratory protection.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid:	
Colour:	transparent	
Odour:	characteristic	
pH-Value (at 20 °C):		5-6

**Changes in the physical state**

Melting point:	No data available
Boiling point or initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Flash point:	24 °C
Sustaining combustion:	No data available

**Explosive properties**

not Explosive.

Lower explosion limits:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density:	850 g/cm <sup>3</sup>
Water solubility:	Immiscible

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

none

**10.6. Hazardous decomposition products**

none

**Further information**

No risks worthy of mention.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262

Revision date: 19.02.2021

Product code: F4000609

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 4570-5045 mg/kg	Rat.		
	dermal	LD50 12800-13400 mg/kg	Rabbit		
	inhalation vapour	LC50 30-46,5 mg/l	Rat.		
8006-64-2	turpentine, oil				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

May cause an allergic skin reaction. (turpentine, oil; dipentene; limonene)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The evaluation was carried out according to the calculation method of the Preparations Directive .  
irritant.

- Mutagen  
none
- Carcinogenicity  
none
- Teratogen  
none
- Phototoxicity  
none

## SECTION 12: Ecological information

### 12.1. Toxicity

Very toxic to aquatic organisms.

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262

Revision date: 19.02.2021

Product code: F4000609

Page 7 of 9

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

not applicable

**12.7. Other adverse effects**

No information available.

**Further information**

2 hazardous to water (WGK 2)

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains.

**Contaminated packaging**

Dispose of waste according to applicable legislation.

Cleaning agent. Water (with cleaning agent).

## SECTION 14: Transport information

**Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALKOHOL))
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

**Other applicable information (land transport)**

Special provisions: 274 601 640H

Transport category: 3

**Marine transport (IMDG)**

<b>14.1. UN number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S.(ISOPROPANOL (ISOPROPYL ALCOHOL))
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	223, 274, 955
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-E

**Other applicable information (marine transport)**

Special provisions: 223, 330, 274, 944, 955

**Air transport (ICAO-TI/IATA-DGR)**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262

Revision date: 19.02.2021

Product code: F4000609

Page 8 of 9

<b>14.1. UN number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S.
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3
Special Provisions:	A3
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1
IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L

#### Other applicable information (air transport)

Special provisions: A3

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

#### 14.6. Special precautions for user

Flammable liquids

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC): 450 g/l

##### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

##### Additional information

Customs tariff number 33029010

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 2.

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Exklusiv Sauna-Duftkonzentrat Holzvariationen Art.-Nr. 65462, 65062, 65262**

Revision date: 19.02.2021

Product code: F4000609

Page 9 of 9

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*